



Certificate of Analysis

Compliance Test

Client Information:

VITE LEAF

19046 BRUCE B. DOWNS BLVD
TAMPA, FL 33647

Order # VIT240815-050001
Order Date: 2024-08-15
Sample # AAFW008

Batch # CBDTHG
Batch Date: 2024-08-08
Extracted From: HEMP

Test Reg State: Florida

Production Facility: TD MANUFACTURING LLC
Production Date: 2024-08-08

Sampling Date: 2024-08-16
Lab Batch Date: 2024-08-16
Completion Date: 2024-08-22

Initial Gross Weight: 97.510 g
Net Weight: 64.910 g

Number of Units: 1
Net Weight per Unit: 6491.000 mg



Product Image



**Potency
Tested**



Potency 10

Specimen Weight: 1507.200 mg

Tested

SOP13.001 (LCUV)




Potency Summary

Total Active THC 0.002% 0.130 mg	Total Active CBD 4.811% 312.282 mg
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 4.843% 314.359 mg	

Pieces For Panel: 10

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBD	10.000	5.40E-5	0.0015	48.1100	4.8110
CBDV	10.000	6.50E-5	0.0015	0.3000	0.0300
Delta-9 THC	10.000	1.30E-5	0.0015	0.0200	0.0020
CBC	10.000	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			48.110	4.811
Total Active THC	10.000			0.020	0.002


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.